

Medication Safety Labels

Catalogue

For the Safe Management of Medication
V3



CONTENTS

1	4	8	11	12
Sterile Labels	Injectable Medicines, Fluids & Line Labels	Pre-printed Medicine Line Labels	Anaesthetic Syringe Labels	Accessories

INFORMATION

StirlingFildes Healthcare is proud to provide labels that comply with the National Labelling Standard, which is designed to reduce the risk of patient harm from injectable medicines by helping healthcare professionals identify the correct:

- Injectable medicine or fluid (container).
- Route of administration of the injectable medicine (conduit).
- Patient for whom the medicine is intended.

The Labelling Standard sets out the requirements for label format, content and placement. The aim is to:

- Promote safer use of injectable medicines.
- Provide standardisation for user-applied labelling of injectable medicines.
- Provide minimum requirements for user-applied labelling of injectable medicines.

The Labelling Standard addresses one recognised risk point in the safe administration of injectable medicines by preventing medicine administration errors, such as wrong patient, route, medicine or dose. It applies alongside other safe medicine practices.

CONTACT US

Phone: 03 9264 8988

Fax: 03 9264 8989

Post: PO Box 432, Ringwood VIC 3134

Email: saleshc@stirlingfildes.com.au

Website: www.stirlingfildeshc.com.au

StirlingFildes Healthcare provides pre-printed sterile label sets for medicine containers, including jugs, basins and syringes that are frequently used in the closed practice environment.

MINIMUM REQUIREMENTS FOR LABELLING CONTAINERS IN THE CLOSED PRACTICE ENVIRONMENT

Minimum labelling requirements apply to containers of medicines and fluids when patient identity is established and other means of recording, labelling and preparing signatures are available (e.g. operating rooms).


Examples of minimum labelling requirements for containers in the closed practice environment are shown below.

INJECTABLE MEDICINES

Label inclusions

- Active ingredient/s (medicine/s) added to the container.
- Concentration (units/mL) optional, except for adrenaline when used as a single medicine.

Pre-printed labels should be used where possible.




Where a pre-printed label is not available, the generic abbreviated container label should be used, with prompts for the medicine name and concentration.

Medicine
Conc (units/mL)

NON-INJECTABLE MEDICINES AND FLUIDS

Label inclusions

- Active ingredient/s (fluid/s) added to the container.
- Concentration (optional).
- Red (70%) St Andrew's Cross watermark.



LABEL PLACEMENT

- Avoid placing labels on graduations.
- Avoid placing labels on a pouring spout.



CUSTOM DESIGNS

- Create your own selection of labels to meet all surgical requirements or customise them to suit each of your speciality surgeries.
- Saves time and reduces potential errors by minimising hand writing on labels.
- Colour coding reduces risks of administering incorrect medicines or fluids.
- Format in specific drug groups, non injectables etc. for efficiency.
- Sterilised in individual pouches.
- Produced in accordance with the National Standard for User-applied Labelling of Injectable Medicines, Fluids and Lines.

42 Label Set

 Telephone: 03 9264 8988

THEATRE LABELS Re-Order Code: HOSL215

Water for Irrigation	Water for Irrigation	Balanced Salt Solution	Hydrogen Peroxide	Povidone Iodine
Sodium Chloride for Irrigation 0.9%	Sodium Chloride for Irrigation 0.9%	Balanced Salt Solution	Chlorhexidine	Cetrimide
Lidocaine (Lignocaine) 2% Adrenaline 1 in 200,000 Bupivacaine 0.5% Adrenaline 1 in 200,000	Bupivacaine 0.5% Adrenaline 1 in 200,000	Bupivacaine 0.5%	Ropivacaine 0.75%	Lidocaine (Lignocaine) 1%
Lidocaine (Lignocaine) 2% Adrenaline 1 in 200,000 Bupivacaine 0.5% Adrenaline 1 in 200,000	Lidocaine (Lignocaine) 1% Adrenaline 1 in 200,000	Bupivacaine 0.5%	Ropivacaine 0.75%	Lidocaine (Lignocaine) 1%
Lidocaine (Lignocaine) 2% Adrenaline 1 in 200,000 Bupivacaine 0.5% Adrenaline 1 in 200,000	Lidocaine (Lignocaine) 1% Adrenaline 1 in 200,000	Lidocaine (Lignocaine) 2%	Lidocaine (Lignocaine) 2% Ropivacaine 0.75%	Hyalase
Lidocaine (Lignocaine) 2% Adrenaline 1 in 200,000 Bupivacaine 0.5% Adrenaline 1 in 200,000	Sodium Chloride for Injection 0.9%	Water for Injection	Glucose 5%	Celestone Chronodrose
Lidocaine (Lignocaine) 2% Adrenaline 1 in 200,000 Bupivacaine 0.5% Adrenaline 1 in 200,000	Sodium Chloride for Injection 0.9%	Water for Injection	Glucose 50%	Kenacort 40
Contrast	Contrast	Hydromorphone	Medicine Conc (units/mL)	Medicine Conc (units/mL)

16 Label Set

 THEATRE LABELS

Sodium Chloride for Irrigation 0.9%	Sodium Chloride for Injection 0.9%
Aqueous Chlorhexidine	Bupivacaine 0.5%
Chlorhexidine 2% Alcohol 70%	Bupivacaine 0.5% Adrenaline 1 in 200,000
Betadine 5%	Ropivacaine 0.75%
Betadine 10%	Ropivacaine 1%
Water for Irrigation	Contrast
Medicine Conc (units/mL)	Medicine Conc (units/mL)
Medicine Conc (units/mL)	Medicine Conc (units/mL)

Re-order Code: HOSL131 Telephone: (03) 9264 8988

8 Label Set

 THEATRE LABELS

Water for Irrigation
Hydrogen Peroxide
Sodium Chloride 0.9%
Contrast
Heparinised Saline
Ropivacaine 0.75%
Bupivacaine 0.5%
Bupivacaine 0.5% Adrenaline 1 in 200,000

Re-order Code: HOSL213 Telephone: (03) 9264 8988

ORDER FORM

Hospital: _____ Contact Name: _____

Email: _____ Telephone: _____

Order Quantity: _____

Sterile ☐Non-Sterile ☐

Please fill in blank label template with the labels you require.

Please note actual size of labels are: Large 55 x 20mm, Small 40 x 11mm

TO ORDER FAX OR EMAIL ORDER FORM TO
(03) 9264 8989 | saleshc@stirlingfildes.com.au

Or for more information call (03) 9264 8988

GENERAL CONSIDERATIONS FOR ALL CONTAINERS

StirlingFildes Healthcare is knowledgeable about all facets of the Labelling Standard and our extensive range of labels are designed to ensure all types of containers comply with operational guidelines for their use:

- Each injectable medicine drawn up in a bag or syringe should be prepared and labelled as a single operation by the same person.
- The TOTAL amount of active ingredient (medicine name) added to the container must be identified, including units (e.g. milligrams, or mg).
- The TOTAL volume of fluid in the container must be identified in millilitres (mL).
- The concentration (units/mL) must be identified. The use of ratios to express medicine concentration (e.g. 1:1000, 1:10 000) is associated with medication errors and discouraged. The exception is pre-printed labels in closed-practice environments, which may be printed with a ratio to be consistent with expression of strength on the original packaging.
- The pharmacy's or manufacturer's labelling of product name, batch number and expiry date must remain visible after the label has been applied.
- A duplicate label should be applied to any overwrapper (i.e. outer wrapper) that does not allow clear visibility of the primary label attached to the bag or syringe.

Container Labels
100 x 60mm - 500 labels per roll
\$22.50

For IntraVENOUS Use Only

Patient
IDDOB.....

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)
.....					
.....					
.....					

Diluent
Date Prepared by
Time Checked by

LA201

For IntraTHECAL Use Only

Patient
IDDOB.....

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)
.....					
.....					
.....					

Diluent
Date Prepared by
Time Checked by

LA203

For EPIDURAL Use Only

Patient
IDDOB.....

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)
.....					
.....					
.....					

Diluent
Date Prepared by
Time Checked by

LA205

For REGIONAL Use Only

Type
Patient
IDDOB.....

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)
.....					
.....					
.....					

Diluent
Date Prepared by
Time Checked by

LA207

For Subcutaneous Use Only

Patient
IDDOB.....

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)
.....					
.....					
.....					

Diluent
Date Prepared by
Time Checked by

LA209

ROUTE

Patient
IDDOB.....

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)
.....					
.....					
.....					

Diluent
Date Prepared by
Time Checked by

LA211

For Intra-ARTERIAL Use Only

Patient
IDDOB.....

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)
.....					
.....					
.....					

Diluent
Date Prepared by
Time Checked by

LA227

For Enteral Use Only

Patient
IDDOB.....

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)
.....					
.....					
.....					

Diluent
Date Prepared by
Time Checked by

LA238

MINIMUM REQUIREMENTS

FOR LABELLING CONTAINERS IN THE OPEN-PRACTICE ENVIRONMENT

Minimum labelling requirements apply to:

- Bags and bottles for infusion where injectable medicines are added in the clinical area before administration.
- Syringes for bolus use or infusion filled by drawing up injectable medicine from the manufacturer's original container in the clinical area before administration.

Container Labels

60 x 50mm - 500 labels per roll

\$16.50

For IntraVENOUS Use Only

Patient ID DOB

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)

Diluent
 Date Prepared by
 Time Checked by

LA200

For IntraTHECAL Use Only

Patient ID DOB

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)

Diluent
 Date Prepared by
 Time Checked by

LA202

For EPIDURAL Use Only

Patient ID DOB

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)

Diluent
 Date Prepared by
 Time Checked by

LA204

For REGIONAL Use Only

Type Patient ID DOB

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)

Diluent
 Date Prepared by
 Time Checked by

LA206

For Subcutaneous Use Only

Patient ID DOB

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)

Diluent
 Date Prepared by
 Time Checked by

LA208

ROUTE

Patient ID DOB

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)

Diluent
 Date Prepared by
 Time Checked by

LA210

For Intra-ARTERIAL Use Only

Patient ID DOB

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)

Diluent
 Date Prepared by
 Time Checked by

LA226

For Enteral Use Only

Patient ID DOB

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)

Diluent
 Date Prepared by
 Time Checked by

LA237

Where a pre-printed label is not available, the generic abbreviated container label should be used, with prompts for the medicine name and concentration.

Additional Containers

70 x 25mm - 500 labels per roll

\$14.50

Medicine
Conc (units/mL)

LA213

40 x 11mm - 1,000 labels per box

\$10.50

0.9% Sodium chloride

LA212

Exception: syringes containing 0.9% sodium chloride for flushing a line. Label inclusions pre-printed '0.9% sodium chloride'.

ADMINISTRATION LINES AND CATHETERS TO IDENTIFY ROUTE


The National Labelling Standard requires that all administration lines and catheters (including extension lines and giving sets used to deliver fluids and/or medicines into a patient by the parenteral route) must be labelled to identify their route of administration.

StirlingFildes Healthcare labels are colour coded according to target tissue, and include fields to document the date and time of line commencement. Our catheter labels (e.g. epidural, intrathecal) are designed for situations when there is a risk of wrong route of administration (e.g. where the patient entry port is distant from the administration site).

MINIMUM REQUIREMENTS FOR LABELLING ADMINISTRATION LINES: ROUTE

Label inclusions are route, date and time commenced.

Lines and Catheters
70 x 25mm - 500 labels per roll
\$14.50



LA214




LA215



LA216



LA217




LA218



LA219



LA220



LA221



LA222



LA239

76 x 59mm - 500 labels per roll
\$19.50

Burette Label for IntraVENOUS Use

Patient

IDDOB.....

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)

DatePrepared by.....

TimeChecked by.....

LA225

BURETTES

Our burette labels are easy to apply and provide for the documentation of relevant patient specific information such as Name, Patient ID and Date of Birth.

All burettes should be labelled IMMEDIATELY after an injectable medicine is added.

Place the label so that the text is upright and ensure that the burette graduations are not obscured.

Removable labels should be used on burettes, and labels must be removed once the medicine has been administered to the patient.

The burette label may be applied temporarily to the syringe containing the medicine that is to be added directly to the burette. The label will then be transferred to the burette.

60 x 50mm - 500 labels per roll
\$19.50

Catheter Lock

Medicine.....

Date.....

	Lumen volume (mL)	Final amount (units)
Arterial lumen.....		
Venous lumen.....		

Remove medicine used as a 'lock' from lumen(s) prior to catheter use.

LA241

LOCKED CATHETERS

All locked catheters with a medicine 'in situ' to 'lock' the catheter (e.g. dialysis catheter with a heparin lock) must be labelled in accordance with the National Labelling Standard.

Our locked catheter labels are designed to meet minimum requirements for labelling locked catheters, such as active ingredient (medicine), date prepared and for both the arterial lumen and venous lumen, volume of lumen (mL) & final amount of medicine (units).

Our easy to use labels should be applied to partially cover the catheter dressing. Place the label close to the catheter but leave part of a breathable dressing uncovered to allow the dressing to function as intended.

60 x 50mm - 500 labels per roll
\$16.50

For Inhalation Use Only

Patient

IDDOB.....

Medicine/s	Amount (units)	÷	Volume (mL)	=	Conc (units/mL)

Diluent

DatePrepared by.....

TimeChecked by.....

LA240

INHALATION ROUTE

Ideally, medicines for inhalation should be made available in single-use nebulisers to avoid measurement in a syringe. If a nebuliser solution is measured in a syringe, StirlingFildes Healthcare is pleased to offer labels clearly marked 'For Inhalation Use Only'. This label should be applied to the syringe.


ADMINISTRATION LINES TO IDENTIFY MEDICINE

Administration lines dedicated to continuous infusions must be labelled to identify the medicine within the line. Labels should be placed near the injection port on the patient side. Place the labels far enough from the injection port to:

- Prevent interference with the mechanics of bolus administration.
- Prevent introduction of infection.

DEDICATED CONTINUOUS INFUSION LINES NEED TWO LABELS

Note that the route label and medicine label are separate labels, so a dedicated continuous infusion line should have two labels – one for the route and one for the medicine. For example, a central venous line delivering heparin would be identified with the following two labels, placed adjacent to each other.



98 x 12mm - 500 labels per box
\$14.50

Actrapid **Actrapid**

LA 335

Adrenaline **Adrenaline**

LA 250

Alfentanil **Alfentanil**

LA 294

Alprostadil **Alprostadil**

LA 295

Alteplase **Alteplase**

LA 296

amIODAROne **amIODAROne**

LA 252

amINOPHYLLine **amINOPHYLLine**

LA 251

ARTERIAL **ARTERIAL**

LA 323

Atropine **Atropine**

LA 253

Bivalirudin **Bivalirudin**

LA 297

Bupivacaine **Bupivacaine**

LA 315

Diazepam **Diazepam**

LA 257

Calcium Chloride **Calcium Chloride**

LA 312

Calcium GLUConate **Calcium GLUConate**

LA 313

Cisatracurium **Cisatracurium**

LA 254

Cisplatin **Cisplatin**

LA 345

CLONazepam **CLONazepam**

LA 298

Clonidine **Clonidine**

LA 255

C.V.P. **C.V.P.**

LA 326

Cytarabine **Cytarabine**

LA 344

Cytotoxic **Cytotoxic**

LA 316

Danaparoid **Danaparoid**

LA 299

Dexmedetomidine **Dexmedetomidine**

LA 256

Levosimendan **Levosimendan**

LA 267

Dobutamine Dobutamine

LA 258

Dopamine Dopamine

LA 259

Fentanyl Fentanyl

LA 260

Flumazenil Flumazenil

LA 300

Furosemide (Frusemide) Furosemide (Frusemide)

LA 261

Glucose 50% Glucose 50%

LA 301

Glyceryl trinitrate Glyceryl trinitrate

LA 262

Heparin Heparin

LA 263

Heparinised Saline Heparinised Saline

LA 322

**HEPARIN LOCK -
ASPIRATE BEFORE USE HEPARIN LOCK -
ASPIRATE BEFORE USE**

LA 311

Insulin Insulin

LA 264

Intragam Intragam

LA 321

Iron Iron

LA 320

Ifosphamide Ifosphamide

LA 343

Isoprenaline Isoprenaline

LA 265

Ketamine Ketamine

LA 266

Lepirudin Lepirudin

LA 302

Lidocaine (Lignocaine) Lidocaine (Lignocaine)

LA 268

Mabs Mabs

LA 319

Magnesium Magnesium

LA 269

Magnesium Sulphate Magnesium Sulphate

LA 314

Mannitol 20% Mannitol 20%

LA 303

Mesna Mesna

LA 341

Metaraminol Metaraminol

LA 270

Methotrexate Methotrexate

LA 342

Midazolam Midazolam

LA 271

Milrinone Milrinone

LA 272

Morphine Morphine

LA 273

Naloxone Naloxone

LA 274

niMODIPine niMODIPine

LA 275

Noradrenaline Noradrenaline

LA 276

Octreotide Octreotide

LA 277

Oxycodone Oxycodone

LA 278

Oxytocin Oxytocin

LA 304

Pre-Printed Medicine Line Labels

PancuroniumPancuronium

LA 279

PantoprazolePantoprazole

LA 305

Parenteral NutritionParenteral Nutrition

LA 306

P.C.A.P.C.A.

LA 325

Potassium chloridePotassium chloride

LA 280

propOFolpropOFol

LA 281

ProtamineProtamine

LA 282

QUAD STRENGTHQUAD STRENGTH

LA 334

RocuroniumRocuronium

LA 283

RopivacaineRopivacaine

LA 284

SalbutamolSalbutamol

LA 285

Sodium BicarbonateSodium Bicarbonate

LA 340

Sodium chloride 0.9%Sodium chloride 0.9%

LA 286

Sodium Chloride 3% (hypertonic)Sodium Chloride 3% (hypertonic)

LA 307

Sodium chloride 20%Sodium chloride 20%

LA 287

Sodium nitroprussideSodium nitroprusside

LA 288

SteroidsSteroids

LA 318

SuxamethoniumSuxamethonium

LA 289

ThiopentoneThiopentone

LA 290

TramadolTramadol

LA 317

UrokinaseUrokinase

LA 291

VasopressinVasopressin

LA 292

VecuroniumVecuronium

LA 293

Vincristine/DoxorubicinVincristine/Doxorubicin

LA 346

LA 324

CHANGE ON MONDAYCHANGE ON MONDAY

LA 327

CHANGE ON TUESDAYCHANGE ON TUESDAY

LA 328

CHANGE ON WEDNESDAYCHANGE ON WEDNESDAY

LA 229

CHANGE ON THURSDAYCHANGE ON THURSDAY

LA 330

CHANGE ON FRIDAYCHANGE ON FRIDAY

LA 331

CHANGE ON SATURDAYCHANGE ON SATURDAY

LA 332

CHANGE ON SUNDAYCHANGE ON SUNDAY

LA 333

DO NOT INJECTDO NOT INJECT

LA 309

DOUBLE STRENGTHDOUBLE STRENGTH

LA 310

MAINTENANCEMAINTENANCE

LA 308

40 x 11mm - 1,000 labels per box
\$10.50

All StirlingFildes Healthcare Anaesthetic Syringe Labels
comply with ISO 26825:2008.

Adrenaline micrograms/mL AL A25	Alfentanil micrograms/mL AL A51	Amiodarone mg/mL AL A78	Amoxycillin mg/mL AL A70	Ampicillin mg/mL AL A69
Antibiotics mg/mL AL A44	Antiemetic mg/mL AL A83	Atracurium mg/mL AL A12	Atropine mg/mL AL A34	Bupivacaine mg/mL AL A38
Bupivacaine (Adr) mg/mL AL A59	Calcium Chloride mg/mL AL A87	Cefazolin mg/mL AL A71	Chlorpromazine mg/mL AL A22	Cisatracurium mg/mL AL A46
Clonidine micrograms/mL AL A64	Cocaine Solution % AL A56	Dexamethasone mg/mL AL A65	Diazepam mg/mL AL A5	Dobutamine mg/mL AL A81
Dopamine mg/mL AL A82	Droperidol mg/mL AL A23	d-tubocurare mg/mL AL A9	Edrophonium mg/mL AL A15	Ephedrine mg/mL AL A26
Fentanyl micrograms/mL AL A18	Flucloxacillin mg/mL AL A72	Flumazenil mg/mL AL A7	Gentamicin mg/mL AL A73	Glyceryl Trinitrate micrograms/mL AL A61
Glycopyrronium mg/mL AL A35	Granisetron mg/mL AL A54	Haloperidol mg/mL AL A21	Heparin I.U./mL AL A40	Hydralazine mg/mL AL A33
Hydrocortisone mg/mL AL A66	Insulin units/mL AL A88	Ketamine mg/mL AL A4	Lidocaine (Lignocaine) mg/mL AL A37	Lignocaine (Adr) mg/mL AL A58
Local Anaesthetic mg/mL AL A76	Magnesium mg/mL AL A84	Medicine Conc (units/mL) AL A75	Metaraminol mg/mL AL A28	Methohexitone mg/mL AL A2
Metoclopramide mg/mL AL A24	Metoprolol mg/mL AL A62	Midazolam mg/mL AL A6	Milrinone mg/mL AL A80	Morphine mg/mL AL A17
Naloxone mg/mL AL A20	Neostigmine mg/mL AL A14	Nitroglycerine mg/mL AL A31	Nitroprusside mg/mL AL A30	Noradrenaline micrograms/mL AL A55
Normal Saline AL A47	Ondansetron mg/mL AL A50	Oxycodone mg/mL AL A74	Oxytocin I.U./mL AL A39	Pancuronium mg/mL AL A11
Parecoxib mg/mL AL A68	Pethidine mg/mL AL A19	Phentolamine mg/mL AL A32	Phenylephrine micrograms/mL AL A27	Physostigmine mg/mL AL A16
Potassium chloride mg/mL AL A42	Prilocaine mg/mL AL A57	Prilocaine (Adr) mg/mL AL A60	Procaine mg/mL AL A36	Propofol mg/mL AL A3
Protamine mg/mL AL A41	Remifentanil micrograms/mL AL A49	Rocuronium mg/mL AL A10	Ropivacaine mg/mL AL A45	Salbutamol mg/mL AL A67
Suxamethonium mg/mL AL A8	Tetrahydroaminacrin (THA) mg/mL AL A43	Thiopentone mg/mL AL A1	Tramadol mg/mL AL A52	Tranexamic Acid mg/mL AL A85
Trimetaphan mg/mL AL A29	Tropisetron mg/mL AL A63	Vecuronium mg/mL AL A13	WATER FOR INJECTION AL A53	WARN WHITE

Anaesthetic Syringe Labels



StirlingFildes Healthcare has recently added the below drugs to it's range of Anaesthetic Syringe Labels.

Hydromorphone
mg/mL

AL A77

Furosemide (Frusemide)
mg/mL

AL A79

Palonosetron
mg/mL

AL A89

Promethazine
mg/mL

AL A90

Ranitidine
mg/mL

AL A91

Calcium Folate
mg/mL

AL A93

Heparinised Saline
units/mL

AL A94

Lidocaine (Lignocaine) 1%
mg/mL

AL A95

Calcium Gluconate
mg/mL

AL A96

Vancomycin
mg/mL

AL A97

Piperacillin/Tazobactam
mg/mL

AL A98

Fosaprepitant
mg/mL

AL A99

Methylprednisolone
mg/mL

AL A100

Ceftriaxone
mg/mL

AL A101

Esomeprazole
mg/mL

AL A102

Pantoprazole
mg/mL

AL A103

Ceftazadime
mg/mL

AL A104

Meropenem
mg/mL

AL A105

Phytomenadione (vit K)
mg/mL

AL A106

Trimethoprim/Sulfamethazole
mg/mL

AL A107

Hydroxocobalamin (vit B)
mg/mL

AL A108

Hyoscine HBr
mg/mL

AL A109

Mesna
mg/mL

AL A110

Octreotide
mg/mL

AL A111

Insulin aspart protamine (NovoMix)
units/mL

AL A112

Narcotic
mg/mL

AL A118

Sugammadex
mg/mL

AL A119

Muscle Relaxant
mg/mL

AL A122

Accessories

Single Container Label Holder

340 x 105 x 140mm
\$49.00 (bulk pricing available)



MC102

Double Container Label Holder

340 x 105 x 270mm
\$69.00 (bulk pricing available)



MC103

Single Container Label Holder Cover

350 x 110 x 150mm (length x width x height)
\$35.00 (bulk pricing available)



MC102A

Double Container Label Holder Cover

350 x 110 x 280mm (length x width x height)
\$49.00 (bulk pricing available)



MC103A

Anaesthetic Syringe & Pre-Printed Line Label Holder

Small - 200 x 110 x 105mm (holds 11 boxes)

\$40.91 (bulk pricing available)



MC100

Line & Catheter Label Holder

270 x 160 x 70mm

\$39.00 (bulk pricing available)



MC104

Anaesthetic Syringe & Pre-Printed Line Label Holder

Large - 300 x 110 x 105mm (holds 17 boxes)

\$50.00 (bulk pricing available)



MC101

Generic Sterile Label Set

Label size - 40 x 11mm

8 labels per set

100 per box

\$230.00



THEATRE LABELS

Medicine
 Conc (units/mL)

Medicine
 Conc (units/mL)

Medicine
 Conc (units/mL)

Medicine
 Conc (units/mL)

Re-order Code: HOSLI63
 Telephone: (03) 9264 8988

HOSLI63


Sandel 4-in-1 Marker™

100 per box

\$135.00 (bulk pricing available)



PENST01



www.stirlingfildeshc.com.au

StirlingFildes Healthcare wishes to acknowledge the Australian Commission on Safety and Quality in Health Care in producing this guide.